


P24110.A06



IFW

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : William E. Eisele

Group Art Unit: 2831

Appln. No : 10/717,501

Examiner: Chau Nguyen

Filed : November 21, 2003

For : THERMAL SHIELD AND HERMETIC SEAL FOR PREVENTING
DETERIORATION OF PLASTIC INSULATION IN OPEN ACCESS
CLOSURES AND METHOD THEREFOR

COMPLETION OF RECORD

U.S. Patent and Trademark Office
220 20th Street S.
Customer Window, Mail Stop _____
Crystal Plaza Two, Lobby, Room 1B03
Arlington, VA 22202

Sir:

On March 1, 2004, Applicant filed an Information Disclosure Statement in the above-captioned matter. In the Information Disclosure Statement, "An Examination of Temperature Rise Inside Aerial Splice Closures," by Emanuel A. Capadona and Dave LaPointe, OUTSIDE PLANT, July 1988 (which had been cited on page 2 of the specification of the instant application), was brought to the Examiner's attention.


Applicant notes that his document was inadvertently omitted from the Form PTO-1449 submitted with the Information Disclosure Statement. Although Applicant assumes that the document was considered by the Examiner. A form PTO-1449 listing the document is attached hereto to confirm such consideration and to thus complete the record.

P24110.A06

Accordingly, the Examiner is requested to initial the appropriate spaces on the attached PTO-1449 and return a copy to the Applicant to confirm consideration of this document.

Should the Examiner have any questions, the Examiner is invited to contact the undersigned at the below-listed telephone number.

Respectfully submitted,
William E. Eisele


Bruce H. Bernstein
Reg. No. 29,027

December 15, 2004
GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191
(703) 716-1191

Application No.
10/717,501

Group
2831

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.